

Declaration of conformity

We: [ITEL MOBILE LIMITED](#)

(Name of manufacturer)

[FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG](#)

(Address)

declare under our own responsibility that the product

Product name : [Mobile Phone](#)

Model No.: [S666LN](#)

Trademark: [itel](#)

(Including product name, model No. descriptions, versions and supplementary characteristics)

to which this declaration refers conforms with the relevant standards or other standardizing documents

3.1a Health:

[EN 50360:2017](#)

[EN 50566:2017](#)

[EN 62479:2010](#)

[EN 62209-1:2016](#)

[EN 62209-2:2010+A1:2019](#)

3.1a Safety:

[EN62368-1:2014+A11:2017](#)

[EN IEC 62368-1:2020+A11:2020](#)

Article 3.1b:

[ETSI EN 301 489-1 V2.2.3 \(2019-11\)](#)

[ETSI EN 301 489-3 V2.3.2\(2023-01\)](#)

[ETSI EN 301 489-17 V3.2.4 \(2020-09\)](#)

[ETSI EN 301 489-19 V2.2.1 \(2022-09\)](#)

[ETSI EN 301 489-52 V1.2.1 \(2021-11\)](#)

[EN 55032:2015+A11:2020+A1:2020](#)

[EN 55035:2017+A11:2020](#)

[EN IEC 61000-3-2:2019+A1:2021](#)

EN 61000-3-3:2013+A1:2019+A2:2021

3.2 Radio:

ETSI EN 301 511 V12.5.1 (2017-03)
ETSI EN 301 908-1 V15.2.1 (2023-01)
ETSI EN 301 908-2 V13.1.1 (2020-06)
ETSI EN 301 908-13 V13.2.1 (2022-02)
ETSI EN 300 328 V2.2.2 (2019-07)
ETSI EN 303 345-1 V1.1.1 (2019-06)
ETSI EN 303 345-3 V1.1.1 (2021-06)
ETSI EN 303 413 V1.2.1 (2021-04)
ETSI EN 301 893 V2.1.1 (2017-05)
ETSI EN 300 440 V2.2.1 (2018-07)
ETSI EN 300 330 V2.1.1 (2017-02)




The following accessories and components, including software, allow the object of the declaration described above to operate as intended and in conformity with this EU declaration of conformity:

Software Version: **S666LN-MA66B**

Hardware Version: **V1.0**




Adapter 1: **U450IEB**

Input: 100-240V~50/60Hz 1.8A

Output: 5.0V  3.0A 15.0W
or 5.0-10.0V  4.5A
or 11.0V  4.1A 45.0W MAX

Adapter 2: **U450IKB**

Input: 100-240V~50/60Hz 1.8A

Output: 5.0V  3.0A 15.0W
or 5.0-10.0V  4.5A
or 11.0V  4.1A 45.0W MAX

Rechargeable Li-ion Polymer Battery: **BL-49UI**

Rated Voltage: 3.91V

Rated Capacity: 4900mAh/19.16Wh

Typical Capacity: 5000mAh/19.55Wh

Limited Charge Voltage: 4.50V

1. Notified body involved: TÜV Rheinland LGA Products GmbH, 0197
2. Performed conformity assessment according to Directive Annex III Module B of the 2014/53/EU Radio Equipment Directive (RED) and issued the EU-type examination certificate.
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. The object of the declaration described above is in conformity with the relevant Union harmonization legislation: Directive 2014/53/EU
Other Union harmonization legislation where applicable.
Place and date of issue (of this DOC): Shenzhen/2024-01-05

Yang Daozhuang/ Manager

A handwritten signature in black ink that reads "Yang Daozhuang". The signature is written in a cursive, flowing style.

(Name/Title)

(Name and signature of person responsible)